Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	. 17	source SAME register SAME size SAME destination SAME round	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:35
L2	3883	((711/170) or (711/171) or (711/172) or (711/173)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:35
L3	474	L2 AND ("destination" AND "source")	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2007/04/16 08:35
			DERWENT; IBM_TDB			
L4	208	L3 AND "register"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:35
L5		L4 AND siz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:35
L6	3544	general ADJ purpose ADJ register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:35
L7	846	(register NEAR2 specif\$4) WITH size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:35
L8	1270	(memory NEAR2 specif\$4) WITH size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:35
L9	· 97	L7 AND L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:35
L10	33	L9 AND L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:35

		LAST Search misto	· •			
LII	98	specifier WITH (memory OR register) WITH size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:36
L12	55	L11 AND L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:36
L13	214	(source ADJ register) SAME size SAME (destination ADJ register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:36
L14	21	(("6170001") or ("5870596") or ("5664145") or ("4903195") or ("4760545") or ("6052766") or ("4898691") or ("4825361") or ("6898691") or ("6292886") or ("6170001") or ("6081880") or ("6052766") or ("5903769") or ("5669013") or ("5799163") or ("5870596") or ("5664045") or ("5530804") or ("5361354") or ("4903195") or ("4677547") or ("4825361") or ("4760545") or ("20050055535") or ("20050055543")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/16 08:42
L15	4	L14 AND L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 08:43
L16	5	L14 AND L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 08:43
L17		L14 AND L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 08:44
L18	. 1	L14 AND L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/16 08:43
S 1	1	("20050055543").PN.	US-PGPUB	OR	OFF	2006/10/24 09:24
52	40	(("6647546") or ("6513107") or ("6381687") or ("5390352") or ("20040117595") or ("6598221") or ("5450607") or ("6665749") or ("6192384") or ("4128880") or ("6202130") or ("5887183") or ("5764787") or ("4744043") or ("4918600") or ("5206822") or ("5697788") or ("5719998") or ("5717947")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/30 10:55
S3	18	S2 AND "memory"	USPAT	OR	OFF	2006/06/27 15:30
54	32	S2 AND "memory"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/27 15:30

S5	22	S4 AND "register"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/27 15:30
S6	40	(("6647546") or ("6513107") or ("6381687") or ("5390352") or ("20040117595") or ("6598221") or ("5450607") or ("6665749") or ("6192384") or ("4128880") or ("6202130") or ("5887183") or ("5764787") or ("4744043") or ("4918600") or ("5206822") or ("5697788") or ("5719998") or ("5717947")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/28 08:50
S7	32	S6 AND "memory"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF .	2006/06/28 08:50
S8	22	S7 AND "register"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/28 08:50
S9	13	S8 AND "size"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/28 09:05
S10	4	S9 AND ("destination" AND "source")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 07:59
S11	40	(("6647546") or ("6513107") or ("6381687") or ("5390352") or ("20040117595") or ("6598221") or ("5450607") or ("6665749") or ("6192384") or ("4128880") or ("6202130") or ("5887183") or ("5764787") or ("4744043") or ("4918600") or ("5206822") or ("5697788") or ("5719998") or ("5717947")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/30 10:56
S12	0	S11 AND "truncate"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/06/30 10:57
S13	14534	memory SAME size SAME ("source" OR "destination")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/30 16:56
S14	5	"data size specifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/23 16:17

			-	· · · · · · · · · · · · · · · · · · ·		
S15	3330	((711/170) or (711/171) or (711/172) or (711/173)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 07:58
S16	398	S15 AND ("destination" AND "source")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 07:59
S17	182	S16 AND "register"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR -	OFF	2006/07/05 08:00
S18	151	S17 AND siz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:35
S19	6	"data size specifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/09/23 16:17
S20	195	data ADJ size ADJ specifi\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/23 16:18
S21	216	data ADJ size ADJ specif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/23 16:19
S22	27724	process\$4 WITH memory WITH register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/23 16:19
S23	75	S21 AND S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/23 16:20
S24	22439	control ADJ register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/23 16:20

						•
S25	3323	general ADJ purpose ADJ register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/23 16:21
S26	53	S23 AND S24 AND S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/23 16:36
S27	342	scalar ADJ register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/23 16:35
S28	5.	S26 AND S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/23 16:35
S29	5051	(specif\$4 OR determin\$4) NEAR3 size NEAR4 (memory OR storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 11:13
S30	1196	(specif\$4 OR determin\$4) NEAR3 size NEAR5 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 11:14
S31	168	S29 AND S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 11:14
\$32 ,	103	S29 SAME S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 11:14
533	3323	general ADJ purpose ADJ register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 11:14
S34	34	S32 AND S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 11:50

S35	16577	register NEAR2 specif\$4	US-PGPUB; USPAT; USOCR;	OR	OFF	2006/09/25 11:52
			EPO; JPO; DERWENT; IBM_TDB			
, S36	63015	memory NEAR3 specif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 11:52
S37	5236	S35 AND S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR 	OFF	2006/09/25 11:51
S38	1810	S35 SAME S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 11:51
S39	799	(register NEAR2 specif\$4) WITH size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	.2006/09/25 11:52
S40	1801	(memory NEAR3 specif\$4) WITH size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 11:53
541	1186	(memory NEAR2 specif\$4) WITH size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 11:53
S42	96	S39 AND S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 11:53
S43	. 33	S42 AND S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:35
S44	297	((two OR second OR another) NEAR3 specifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 12:05

S45	121	S44 SAME (memory OR register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 12:05
S46	0	S44 SAME ((memory OR register) ADJ size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 12:06
S47	6	S44 SAME ((memory OR register) WITH size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 12:09
S48	95	specifier WITH (memory OR register) WITH size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 12:09
S49	54	S48 AND S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 08:36
S50	216	data ADJ size ADJ specif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 12:10
S51	5	S49 AND S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/25 12:10
S52	193	size WITH (general NEAR3 register) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 09:24
S53	107276	size WITH memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 09:25
S54	39	S52 SAME S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 09:25

		LAST Scaren mis	,			
S55	96162	(data OR instruction) NEAR3 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 09:26
S56	25	S54 AND S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 09:26
S57	18	S54 SAME S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 08:34
S58	13535	source NEAR2 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 08:34
S59	1707	destination NEAR2 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 08:34
S60	324	S58 SAME S59 .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 08:35
S61	193	size WITH (general NEAR3 register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 08:35
S62	17	S60 AND S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 08:35
563	1	"20060238517"	US-PGPUB	OR	OFF	2006/10/27 12:48
S64			US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		OFF	2006/10/27 16:29
S65	40	round AND (high ADJ order) AND predetermine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		OFF	2006/10/27 16:43

S66	0	S64 AND S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 16:43
S67	2530	round AND predetermine .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 14:41
568	211	(source ADJ register) SAME size SAME (destination ADJ register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 10:17
S69	0	S67 AND S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 14:22
S70	1665787	round\$4 OR estimat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 15:21
571	108	\$68 AND \$70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 15:22
572	90	S71 AND extension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 15:40
S73	21	S72 AND scalar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		OFF	2006/10/30 15:40
S74	211	(source ADJ register) SAME size SAME (destination ADJ register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		OFF	2007/04/16 08:36
S75	1666622	round\$4 OR estimat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		OFF	2006/10/31 10:10

S76	15	S74 SAME S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2006/10/31 09:22
S77	4	S74 SAME predetermin\$4	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2006/10/31 09:22
S78	3520628	round\$4 OR fill\$4	US-PGPUB; US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2006/10/31 10:10
S79	16	S74 SAME S78	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/31 10:10
580	519	(source NEAR3 register) SAME size SAME (destination NEAR3 register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 10:18
S81	1	(source NEAR3 register) SAME size SAME (destination NEAR3 register) SAME round	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 10:19
582	17	source SAME register SAME size SAME destination SAME round	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/04/16 08:35